

Appendix K: Example: Caregivers Perceptions of Restraint Use Questionnaire (PRUQ)

Perceptions of Restraint Use Questionnaire (PRUQ)

Background and Instructions for Use

The Perceptions of Restraint Use Questionnaire (PRUQ) was developed to determine the relative importance caregivers ascribe to reasons for using physical restraints with the elderly. The tool was developed as a Likert scale (originally 3-point, now 5-point) from a review of the literature that included reasons for and attitudes about restraint use. It was judged to have face and content validity by a panel of five gerontologic nurse experts. It had a coefficient alpha of .80 with 18 professional hospital nurses and of .74 with a sample of 20 nursing home staff [Strumpf & Evans, 1987, 1988]. Following its expansion to 11 items, it had a coefficient alpha of .86 with 51 nurses who worked with the elderly in geriatric and geropsychiatric settings [Evans & Strumpf, 1987]. We have since modified the instrument to include more items regarding fall risk and treatment interference; this 17 item 5-point Likert scale is the one we currently employ in our research. Among 184 European nursing personnel, this version had a coefficient alpha of .96. In a sample of 87 American nursing home staff, it had a mean of 3.65 and a coefficient alpha of .94 [Evans & Strumpf, 1993].

Scoring Instructions for the PRUQ

To score the PRUQ, calculate a mean total scale score by summing the scores for each of the 17 items and dividing by 5 [the number of positions on the Likert scale]. As an example, staff in the three nursing homes in our clinical trial [JAGS 1997] averaged 3.8 (+/- 0.86, n=55), 4.02 (+/- 0.68, n=29) and 3.64 (+/- 0.83, n=55) at baseline.

For the “knowledge of alternatives” section, count the number of discrete interventions suggested by the respondent for a total (sum) score. These named interventions may be categorized into four types: physiologic, psychosocial, activity, and environmental. The Matrix of Behavioral Interventions (attached, and Strumpf, et. al., 1998, pp. 137-139) is used to code the types of interventions identified. Total number of interventions and subtotal for each type are tallied and a mean, median and mode derived for each.

Key: PH: physiological; PS: psychosocial; PA: physical activity; ENV: environmental; PR: physical restraint; CR: chemical restraint; SR: siderails; OIN: other, inappropriate intervention (e.g., seclusion, discharge to another facility); OAP: other, appropriate intervention (e.g., increase in staff).

This version of the PRUQ is for use in acute care settings; minor modification in the demographic items (e.g., #16, #19) may be made for use in nursing homes or other settings.

References:

Evans, L.K., & Strumpf, N.E. (1987). Patterns of restraint: A cross-cultural view. *Gerontologist*, 27 (Supplement), 272A-273A.

Evans, L.K., & Strumpf, N.E. (1993). Frailty and physical restraint. In H.M. Perry, J.E. Morley, & R.M. Coe (Eds.), *Aging and musculoskeletal disorders*, pp. 324-333. New York: Springer.

Evans, L.K., & Strumpf, N.E. (1989). Tying down the elderly: A review of the literature on physical restraint. *Journal of the American Geriatrics Society*, 37, 65-74.

Strumpf, N.E., & Evans, L.K. (1987). Patterns of restraint use in a nursing home (Abstract). *Proceedings of the American Nurses Association Council of Nurse Researchers Meeting*, 410. Kansas City: ANA.

Strumpf, N.E., & Evans, L.K. (1988). Physical restraint of the hospitalized elderly: Perceptions of patients and nurses. *Nursing Research*, 37, 132-137.

Strumpf, N.E., Robinson, J.P., Wagner, J.S., & Evans, L.K. (1998). *Restraint-free care: Individualized approaches for frail elders*. New York: Springer.

Developed by Lois Evans and Neville Strumpf

© 1986. University of Pennsylvania School of Nursing; revised 1990 &, 2010.

Source: Evans, L. and Strumpf, N. (1986). Subjective Experience of Being Restrained. Penn Nursing Science: University of Pennsylvania School of Nursing.

Web link: www.nursing.upenn.edu/cisa/Pages/Research.aspx

Perceptions of Restraint Use Questionnaire (PRUQ)

The authors give permission for use of this instrument.

DATE___/___/___

The Study Has Been Explained To Me To My Satisfaction. By Completing This Questionnaire, I Am Giving My Consent To Participate.

In caring for the older adult, physical restraints are sometimes used. Such restraints include vests, belts or sheet ties, crotch or diaper restraints, ankle or wrists ties, hand mitts, or locked geriatric chairs with fixed tray tables.

Following are reasons sometimes given for restraining older people. In general, how important do you believe the use of physical restraints are for each reason listed? (please circle the number that represents your choice)

	not at all important		Some-what important		most important
1. Protecting an older person from:					
a. Falling out of bed?	1	2	3	4	5
b. Falling out of chair?	1	2	3	4	5
c. Unsafe ambulation?	1	2	3	4	5
2. Preventing an older person from wandering?	1	2	3	4	5
3. Preventing an older person from taking things from others?	1	2	3	4	5
4. Preventing an older person from getting into dangerous places or supplies?	1	2	3	4	5
5. Keeping a confused older person from bothering others?	1	2	3	4	5
6. Preventing an older person from:	1	2	3	5	5
a. Pulling out a catheter?	1	2	3	4	5
b. Pulling out a feeding tube?	1	2	3	4	5
c. Pulling out an IV?	1	2	3	4	5
d. Breaking open sutures?	1	2	3	4	5
e. Removing a dressing?	1	2	3	4	5
7. Providing quiet time or rest for an overactive older person?	1	2	3	5	
8. Providing for safety when judgment is impaired?	1	2	3	4	5
9. Substituting for staff observation?	1	2	3	4	5
10. Protecting staff or other patients from physical abusiveness/combativeness?	1	2	3	4	5
11. Managing agitation?	1	2	3	4	5

12. Please identify measures which could be used instead of physical restraints for the behaviors or situations listed above. Use the back of this sheet if necessary.

13. Education: MSN BSN Diploma ADN

14. Age: _____

15. Sex: F M

16. Type of Unit: Medical Surgical Critical Care Other

17. Total length of employment in this facility: _____ years _____ months

18. Any specialized education in geriatrics? yes no

19. Position: Staff Nurse Nurse Manager Advanced Practice Nurse Certified Nursing Assistant

Coding: Total _____ PH _____ PS _____ PA _____ ENV _____ PR _____ CR _____ SR _____ OIN _____ OAP _____

©1986, 1990 Evans & Strumpf

University of Pennsylvania School of Nursing

Last updated May 12, 2010

